



ColdCube™ Containers

Flexible, portable cooling and freezing for a variety of applications.



MONZONE®



ColdCube™ Containers from Thermo King

*Portable, Adaptable
Cooling for a Variety
of Applications*



Flexible Cooling

- Powerful cooling (32°F) and deep freezing options (-6°F)
- Can easily be moved or transferred from one application to another
- Load optimization for added convenience
- Runs on 12/24V DC or 120/240V AC
- Maintains consistent temperature
- Digital compressor allows for efficient consumption of electrical power
- Integrated battery monitor to protect against dead battery

Visible User Interface

- View current temperature and status without opening the container
- Digital readout for precise temperature setpoint control



Constructed for Durability

- Made of tough molded polyethylene
- Rotationally-molded, single-piece construction for durability and light weight
- Internal components designed and tested for use in mobile applications
- Constructed of food-grade and UV-stabilized materials for easy cleaning
- Convenient portability with integrated handles or forklift base



Variety of Units

- Six different options available to fit your business needs



MONZONE®



Choose from Freezing and Cooling units in a variety of sizes:

Part Number	Style	Gross Capacity (Gal)	Minimum Temp*	Max Power (Amps @ 12V DC)	Avg Power (Amps @ 12V DC)**	Refrigerant Type	External Dimensions L x W x H (inches)	Internal Dimensions L x W x H (inches)	Weight (lbs)
610-208	Cooling	37	14°F	9A	3A	R-134A	39 x 24 x 28	24 x 16 x 20	88
610-210	Cooling	87	32°F	9A	3A	R-134A	40 x 39 x 36	32 x 24 x 26	198
610-212	Cooling	242	32°F	18A	4.5A	R-134A	59 x 47 x 46	48 x 37 x 33	352
610-209	Freezing	37	-6°F	18A	5A	R-134A	39 x 24 x 28	24 x 16 x 20	88
610-211	Freezing	87	-6°F	18A	6.5A	R-134A	40 x 39 x 36	32 x 24 x 26	198
610-213	Freezing	242	-11°F	25A	9.5A	R-404A	59 x 47 x 46	48 x 37 x 33	359

* At ambient temperature of 86° F

** Rated at minimum temperature of unit. For reference purposes only, not to be used as a guarantee performance value.

Potential Applications

- Small vehicles for businesses with limited capacity requirements for cooling and freezing
- Loaner unit to be used during service
- Seasonal events
- Load optimization in larger vans and full size trailers

Available Accessories

- Wire Shelves/Racks
- Wheels
- In-Cab Display
- Tie-Down Kit
- Forklift Base



Specifications

- 12/24V DC or 120/240V AC (consumes 9–25 amps at 12V DC) with integrated AC to DC power rectifier
- Hermetic digital compressor
- Heavily insulated (up to 5" thick)
- Digital temperature control with readout
- UL Certified
- Backed by the Thermo King nationwide 2-year warranty



Expert Service and Support are as close as this sign.

Enjoy the support of the Thermo King Dealer Network.

Over 200 factory-authorized service centers nationwide—**find one nearby at www.thermoking.com**

MONZONE®



MONZONE®

Monzone Air-Conditioning Pte Ltd
6 Gul Lane, Singapore 629405
(65) 6365 1315, (65) 6368 2063

101 Woodlands Avenue 12,
#01-12 Polaris Woodlands
Singapore 737719
(65) 8500 1315

Monzone Group
Johor (HQ)
Lot 7015, Jalan Lagenda 1, Kulai,
Johor Bahru, Malaysia
(607) 663-1315, (607) 663-1513

Kedah
No. 16 Taman Jitra Jaya, 06000
Jitra, Kedah, Malaysia
(604) 917-2261

Shah Alam
No. 4, Jalan Sg Pelubung 32/149,
Seksyen 32, 40460 Shah Alam,
Selangor, Malaysia
(603) 5103-1153

Penang
No. 12 Lorong Iks Bukit Tengah,
Taman Iks Bukit Tengah, 14000
Bukit Mertajam Pulau Pinang,
Malaysia
(604) 507-2315, (604)

Sarawak
Lot 1993, Section 66, Kuching Town,
Land District, Jalan Semangat,
Pending Industrial Estate,
93450 Kuching, Sarawak
(608) 335 113

Monzone Air-Conditioning Inc
7th Floor, Unit B, 8 Rockwell,
Hildago Drive, Bel-Air, City of Makati,
NCR, Fourth District, Philippines
(65) 9790 1315

For future information:
Email: monzone@singnet.com.sg
Website: www.monzonegroup.com

Monzone customer service hotline

 **65-63651315**
 **016-2621315**



Thermo King - by Trane Technologies (NYSE: TT), a global climate Innovator - is a worldwide leader in sustainable transport temperature control solutions. Thermo King has been providing transport temperature control solutions for a variety of applications, including trailers, truck bodies, buses, air, shipboard containers and railway cars since 1938. For more information, visit www.thermoking.com or www.tranetechnologies.com.

Asia Pacific Headquarters & China Office
8-12F, L'Avenue Shanghai,
99 Xianxia Road, Shanghai, 200051, P.R.C
Tel: +86 21 2221 5000
Fax: +86 21 2221 5409

Global Headquarters
314 West 90th Street
Minneapolis, Minnesota, 55420, U.S.A
Tel: +1 952 887 2200
Fax: +1 952 887 2529

Thermo King customer service hotline

 **800-820-2828**
 **400-820-7972**